
P-4 Popular security level Automatic feeding in a natural way Possibility of simultaneous Removable A Q & & & W housing top manual feeding HSM' Great Products, Great People






Advantages of cross-cut shredders Volume of shredded documents











- High quality materials and "Made in Germany" quality for security and durability. With 3 years warranty
- Cutting rollers made of *hardened steel with lifetime warranty*.
- Reliable and time-saving shredding of stacks of paper.
- Nanogrip Technology for reliable sheet intake.
- Zero power consumption in stand-by mode.
- Quiet operation minimizes noise development in the workplace.
- Practical automatic start/stop.



HSM

HSM

Lifetime warranty on the hardened solid still cutting rollers

Quality "Made in Germany"

Zero power consumption in stand-by modus

Quiet operation due to the covered driving gear


3 years warranty for the complete shredder

"The simple and convenient method of data destruction in the workplace. The document shredder with an automatic paper feed shreds **stacks of paper of up to 100 sheets** as well as single sheets of paper effortlessly whilst **saving you time**"



Autofeed document shredder SECURIO AF100 Unique selling points / Indicators of quality





- patented design V-Nut for the most
 precise cut
- *1 bottle of special lubricating oil* (50 ml) is included in the scope of delivery



- covered driving gear saves from dust and prolongs product life time
- covered driving gear *reduces noise level*
- *factory lubrication remains* during longer operation time




Autofeed document shredder SECURIO AF100 Technical specifications

| Article Number | 2063111 | Shredder material | Paper, Credit card, Staples and paper clips |
|---|--------------------|---|--|
| eclass 7.1 | 24320706 | Intake width | 225 mm |
| UN/SPSC | 44101603 | Container volume / | 25 |
| Scope of application | Workplace / Office | collecting | 251 |
| Protection class (DIN 66399) | high, very high | Container / collection volume in sheets | 200 |
| Cutting width | 4 mm | Cutting speed | 45 mm/s |
| Particle length | 25 mm | Noise level (idle operation) | 56 dB(A) |
| Cutting type | Particle cut | | |
| Security level (DIN 66399) | P-4, T-4, E-3, F-1 | Power consumption | 280 W |
| | | Voltage | 230 V |
| Cutting capacity in sheets 80g/m ² (manual / autofeed) | 5-6 / 100 | Frequency | 50 Hz |
| | | Width x Height x Depth | 375 x 620 x 260 mm |
| Cutting capacity in sheets 70g/m² (manual / autofeed) | 7-8 / 100 | Weight | 7 kg |
| | | Colour | white |

2018-03 _ Technical and design modifications are reserved



Autofeed document shredder SECURIO AF100 Simple and reliable design





Autofeed document shredder SECURIO AF100 Consumables

Special lubricating oil Bottle 250 ml

Art. number 1235997403






Special lubricating oil Canister 51

Art. number 1235997501



HSM SECURIO Autofeed Complete range overview



click on the models below to check specifications online



Securio AF100 Securio AF150

Securio AF300

Securio AF500



Securio AF range demonstration video



HSM official Facebook page



What is GDPR? Check our GDPR landing page online

