



YEALINK IP PHONE PRODUCT GUIDE



YEALINK NETWORK TECHNOLOGY CO., LTD.
Email: sales@yealink.com | Web: www.yealink.com

2022-05-SIP-EN-V1.0

CONTENTS

About Yealink	01
One-stop Voice Solution	05
Conference Phone Series	07
T5 Series	17
T4 Series	29
T3 Series	37
DECT Phone Series	43
Speakerphone Series	57
Accessories	61

ABOUT YEALINK

Yealink (Stock Code: 300628) is the global-leading provider of Unified Communication & Collaboration Solutions, dedicated to helping our clients embrace the power of "Easy Collaboration, High Productivity." With best-in-class quality, innovative technology, and user-friendly experience, Yealink is one of the best providers in more than 140 countries and ranks No.1 in the global market share of IP phone & SIP phone shipments (Frost & Sullivan, 2021).

NO.1

Yealink ranks No.1 in the global market share of IP phone and has been No. 1 in SIP market for 5 years

20+

20+ years of experience with audio, video, cloud and AI technology

15,000,000

More than 15 million Yealink IP endpoints have been sold globally.

100%

Everyone in Yealink strives to make communication simpler and more efficient.






Ecosystem

Yealink's partnership and broad compatibility with major platforms and service providers enable customers to benefit from seamless integration, greater flexibility and productivity.

Service Provider Partners



Service Provider Partners



Company Awards



* Technologiepartner von Sip Phone und Video Conferencing Service werden hier ebenfalls aufgeführt.

YEALINK ONE-STOP IP PHONE SOLUTIONS

Yealink provides a complete set of highly reliable and easy-to-use IP phone terminal options to effectively meet the needs of work communication and collaboration in any scenario. Customers can enjoy the convenience of one-stop sourcing provided by Yealink with simpler terminal device management and better technical support.

Team Collaboration

Easy remote conferencing



On-the-go

Easy use in certain mobile work scenarios



Common Areas

Meet basic communication needs



Executive

Easy Collaboration in front of your desk



General Office

Superb HD call quality
best in class GUI design



Front Desk

Professional reception service



CONFERENCE PHONE SERIES

PROFESSIONAL SHARED VOICE DEVICES

Yealink designs audio conferencing solutions for different conference environments, continuously improves its products, is dedicated to providing clear and smooth conference communication experiences for indoor and remote attendees, and helps customers reduce communication costs and increase productivity.





Ingenious Next-Gen Designs

Yealink's new conference phone series overturns traditional designs with an ultra-thin and sleek appearance and black acoustic fabric, ensuring crystal clear sound while blending perfectly into the business occasion of the conference room. This serialized design is also water, oil, and stain resistant, preventing issues caused by 'oops' moment in meetings.

Game-changing Audio Presence

Wrapped under the stunning appearance is a powerful set of technology and professional components that give Yealink conference phones outstanding audio quality. Yealink has developed a series of acoustic technology, including Smart Noise Filtering, Optimal HD audio, and Noise Proof Technology, to provide customers with studio-like audio experiences.

Easy Scalability for More Flexibility

Considering the various usage scenarios of customers in meetings, Yealink maximizes the scalability of conference phones. By simply connecting mobile devices such as smartphones, PSTN devices CPN10, etc., to the conference phone via Bluetooth or USB, attendees can join the meeting and enjoy the quality audio of hybrid UC meetings. Yealink conference phones are also able to connect with wireless expansion microphones (CPW25*pending/CPW65) to deliver optimal microphone placement and wider room coverage in meetings.

CP965 Flagship Conference Phone

Recommended for medium to large meeting rooms

Key Features:

- 5" capacitive touch screen, premium business styling, Reddot award-winning quality
- Android 9.0 OS for smoother operating experiences
- Built-in 12-microphone array for 360-degree voice pickup and 1 microphone for noise cancellation, providing best-in-class conversation environment
- Supports 2 DECT wireless expansion microphone CPW65 and 4 CP965 cascades, enabling CP965 to be utilized in more conferencing scenarios.

[Learn More](#)



CP925 Basic Conference Phone

Recommended for small to medium meeting rooms

Key Features:

- 4" capacitive touch screen, sleek style with intuitive user interface
- Built-in 7-microphone array for voice pickup and noise cancellation, covering a range of 20 feet with 360° Omni-direction, adequate to deliver clear and natural voice conference experience.
- Built-in WIFI and Bluetooth for easy connection with BYOD devices such as smart phones and PSTN device CPN10 for hybrid UC meetings.

[Learn More](#)





CP935 Wireless Conference Phone

Recommended for small to medium meeting rooms



Key Features:

- 4" capacitive touch screen, sleek style with intuitive user interface
- Built-in 6-microphone array for voice pickup and noise cancellation, covering a range of 20 feet with 360° Omni-direction for Optimal HD audio
- Built-in rechargeable battery with 75 hours standby time and 15 hours talk time for convenient mobility
- Built-in WIFI and Bluetooth for easy connection with BYOD devices such as smart phones for hybrid UC meetings.

[Learn More](#)

CP935-Base DECT Conference Phone

Recommended for small to medium meeting rooms





Key Features:

- 4" capacitive touch screen, sleek style with intuitive user interface
- Built-in 6-microphone array for voice pickup and noise cancellation, covering a range of 15 feet with 360° Omni-direction for Optimal HD audio
- Support DECT Mode
- Built-in rechargeable battery with 167 hours standby time and 15 hours talk time in DECT mode
- Built-in WIFI and Bluetooth, simply connection with BYOD devices for hybrid UC meetings.

[Learn More](#)

Conference Phone Specifications

Overview	CP965	CP925	CP935W	CP935W-Base
				
Operating System	Android 9	Linux	Linux	Linux
Interface				
LCD	5" 720 x 1280 touch screen	4.0" 480*800 touch screen	4.0" 480*800 touch screen	4.0" 480*800 touch screen
DSS Key	30	30	30	30
Audio Features				
HD Voice	√	√	√	√
Wide-band Codecs	G.722 G722.1COpus	G.722 G722.1COpus	G.722 G722.1COpus	G.722 G722.1COpus
Narrow-band Codecs	G.711(A/μ), G726, G729, G723, iLBC	G.711(A/μ), G726, G729, G723, iLBC	G.711(A/μ), G726, G729, G723, iLBC	G.711(A/μ), G726, G729, G723, iLBC
Built-In Microphone Array	13: 12 for sound pickup, 1 for noise cancellation	7: 6 for sound pickup, 1 for noise cancellation	6 for sound pickup	6 for sound pickup
Microphone Pickup	20f	20f	20f	20f
Noise Proof and Suppression	√	√	√	√
Connectivity				
Built-In PoE	IEEE 802.3at class4	IEEE 802.3at class3	X	X
Built-In Bluetooth	Bluetooth 4.2	Bluetooth 4.2	Bluetooth 4.2	Bluetooth 4.2
Built-In Wi-Fi	802.11a/b/g/n	802.11a/b/g/n	802.11a/b/g/n	802.11a/b/g/n
Type A	1 for: USB flash disk Wireless Mic charging	X	X	X
Type C	1 for: connect to PC	1 for: USB flash disk Wireless Mic charging	1 for: connect to PC	1 for: connect to PC
Ethernet Port	10/100Mbps	10/100Mbps	X	X
Wireless MIC	2 DECT Mic or 1 Bluetooth Mic (Pending, Optional)	1 Bluetooth Mic(Pending, Optional)	1 Bluetooth Mic(Pending, Optional)	1 Bluetooth Mic(Pending, Optional)
Telephony Features				
Recording	Local recording, USB flash disk	√ (Via USB flash drive)	√ (Via USB flash drive)	√ (Via USB flash drive)
N-way Conferencing	10-way conference	5-way conference	5-way conference	5-way conference
Create meeting directly	√	√	√	√
Hybrid UC Meeting	Smartphone SIP PSTN (via CPN10)	Smartphone SIP PSTN (via CPN10)	BT SIP	BT SIP
PSTN	√	√	X	X
Star Connection	√(up to 4 units)	X	X	X
Basic Features				
Battery	X	X	Li-ion3.6V 7800mAh	Li-ion3.6V 7800mAh
Talk Time	X	X	15h	15h
Standby Time	X	X	75h	167h
Security Slot	√	√	√	√

T5 SERIES

FLAGSHIP DESKTOP IP PHONE

In response to market demand, Yealink designed and developed the new T5 business phone series, one of the industry's most advanced IP desk phone portfolios, to provide a customer-centric communication and collaboration experience for businesses of all sizes.





Adjustable High-Resolution Display Intuitive UI and Clear Navigation

Aligning with a fully adjustable display of high resolution, the T5 Series desktop phone brings vivid and clear visual presentation under diverse lighting conditions with flexible viewing angles. Moreover, the new UI optimizes the user experience with more intuitive and clear navigation for high-efficiency communication.

Cutting-edge Audio Technologies Immersive Conversations

Aimed at delivering distraction-free voice clarity, Yealink Acoustic Shield utilizes multiple microphones to create a virtual "shield" and intelligently block out background noise so that others can hear you only and follow you clearly.

In busy and noisy workplaces such as call centers and co-working spaces, Yealink Acoustic Shield Technology dramatically reduces frustration and improves productivity.

Premium Video Meeting Experiences at the Desktop

With increasing significance in remote collaboration for workforces in hybrid workstyles, the Yealink Flagship Smart Video Phone VP59 and Smart Business Phones T58 Series fulfill the needs of professional HD integrated video calling and voice collaboration at the desktops as well as in huddle spaces.

More Possibilities Powered by New High-performance Processor

Seamlessly compatible with the Yealink DECT Dongle DD10K, the T5 business phone can be turned into a DECT base unit and connected with up to 4 Yealink DECT handsets. Ideal for SMBs as well as home offices, the corded-cordless phone solution adds significant flexibility and mobility to free the workers from the desk.

VP59 Flagship Desktop Phone

Recommended Users: Senior managers,
Executives with integrated video calling needs



- 8" capacitive adjustable touch screen, sleek style with intuitive user interface
- 1080p@30 full HD video, with audio 2M pixels camera, larger field of view of 84°, the highest video quality standard for desktop phones
- Optimal HD Voice with Yealink Noise Proof and Acoustic Shield Technologies
- Built-in Wi-Fi (Dual-band 2.4G/5G) & Bluetooth
- Supports Power over Ethernet HDMI extension output for monitor connection
- Supports up to 3 EXP50, 180 additional buttons with LED system

[Learn More](#)


T58W Series Elite Desktop Phone

Recommended Users: Executives,
Professionals with integrated video calling needs



- Flexible to choose whether to have the five-megapixel camera for multi-way audio/video mixed conferencing
- 7" capacitive adjustable touch screen, sleek style with intuitive user interface
- Optimal HD Voice with Yealink Noise Proof and Acoustic Shield Technologies
- Bluetooth handset that allows users to move around freely and conveniently
- Android 9.0 OS for better data encryption, authority management, response speed and integratability
- Built-in Wi-Fi (Dual-band 2.4G/5G) & Bluetooth
- Supports up to 3 EXP50, 180 additional buttons with LED system

[Learn More](#)





T57W Prime Business Phone

Recommended Users: Officers with heavy call load



- 7" capacitive adjustable touch screen, sleek style with intuitive user interface
- Optimal HD Voice with Yealink Noise Proof and Acoustic Shield Technologies
- Built-in Wi-Fi (Dual-band 2.4G/5G) & Bluetooth
- Supports up to 3 EXP50, 180 additional buttons with LED system

[Learn More](#)

T54W Mid-Level Business Phone

Recommended Users: Officers with moderate call load



- 4.3" capacitive adjustable screen, sleek style with intuitive user interface
- Optimal HD Voice with Yealink Noise Proof and Acoustic Shield Technologies
- Built-in Wi-Fi (Dual-band 2.4G/5G) & Bluetooth
- Supports up to 3 EXP50, 180 additional buttons with LED system

[Learn More](#)

T53/T53W Entry-Level Business Phone





Recommended Users: General Staff







- 3.7" capacitive graphical screen
- Optimal HD Voice with Yealink Noise Proof and Acoustic Shield Technologies
- Built-in Wi-Fi (Dual-band 2.4G/5G) & Bluetooth (Only for T53W)
- Supports up to 3 EXP50, 180 additional buttons with LED system

[Learn More](#)

T5 Series Specifications

Overview	SIP-T53W	SIP-T54W	T57W	T58W
				
Operating System	Linux Based	Linux Based	Linux Based	Android 9
Interface				
LCD display	3.7" 360x160 Pixels Graphical Display	4.3" 480x272 Pixels Color Display	7" 800x480 Pixels Color Display	7" 1024X600 Capacitive Touch Screen
LCD Type	Adjustable	Adjustable	Adjustable	Adjustable
Memory Keys	21 (3 Pages of 7 Keys)	27 (3 Pages of 9 Keys)	29 Touch Keys	27 Touch Keys
Audio Features				
HD Voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker
Speakerphone	Full Duplex	Full Duplex	Full Duplex	Full Duplex
Wideband Codec	G.722, Opus	G.722, Opus	G.722, Opus	G.722, Opus
Narrowband Codec	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC
HAC Handset	√	√	√	√
Acoustic Shield	√	√	√	√
Yealink Noise Proof	√	√	√	√
Video Features				
Camera	X	X	X	X
Video Resolution	X	X	X	720p@30fps HD
Video Codecs	X	X	X	H.264H.264HP VP8
Connectivity				
PoE	√	√	√	√
Headset	USB/Bluetooth/RJ9	USB/Bluetooth/RJ9	USB/Bluetooth/RJ9	USB/Bluetooth/RJ9
Bluetooth	Built-in Bluetooth 4.2	Built-in Bluetooth 4.2	Built-in Bluetooth 4.2	Built-in Bluetooth 4.2
Wi-Fi	Built-in 2.4G and 5G	Built-in 2.4G and 5G	Built-in 2.4G and 5G	Built-in 2.4G and 5G
Corded-Cordless Phone (via DD10K)	√	√	√	√
USB Port (2.0 Compliant)	1	1	1	2
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet
Handset Port (RJ-9)	√	√	√	√
Telephony Features				
SIP Accounts	12	16	16	16
N-way Audio Conferencing	5	10	10	10
5-way Video/Audio Mixed Conferencing	X	X	X	√
Door Phone Integration	X	X	X	√
Basic Features				
External Yealink AC Adapter (Optional)	AC 100~240V Input and DC 5V/1.2A Output	AC 100~240V Input and DC 5V/2A Output	AC 100~240V Input and DC 5V/2A Output	AC 100~240V Input and DC 5V/2A Output
Foot Stand	√	√	√	√
Wall Mountable	√	√	√	√


T5 Series Specifications

Overview	T58W with camera	T58W Pro	T58W Pro with camera	VP59
				
Operating System	Android 9	Android 9	Android 9	Android 7.1
Interface				
LCD display	7" 1024X600 Capacitive Touch Screen	7" 1024X600 Capacitive Touch Screen	7" 1028X600 Capacitive Touch Screen	7" 1080X800 Capacitive Touch Screen
LCD Type	Adjustable	Adjustable	Adjustable	Adjustable
Memory Keys	27 Touch Keys	27 Touch Keys	27 Touch Keys	27 Touch Keys
Audio Features				
HD Voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker
Speakerphone	Full Duplex	Full Duplex	Full Duplex	Full Duplex
Wideband Codec	G.722, Opus	G.722, Opus	G.722, Opus	G.722, Opus
Narrowband Codec	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC
HAC Handset	√	√/Bluetooth Wireless Handset BTH58	√	√
Acoustic Shield	√	√	√	√
Yealink Noise Proof	√	√	√	√
Video Features				
Camera	5 Mega-pixel, Adjustable, Plug&Play	X	5 Mega-pixel, Adjustable, Plug&Play	2 Mega-pixel, Adjustable, Plug&Play
Video Resolution	720p@30fps HD	720p@30fps HD	720p@30fps HD	1080p@30fps HD
Video Codecs	H.264H.264HP VP8	H.264H.264HP VP8	H.264H.264HP VP8	H.264H.264HP VP8H263
Connectivity				
PoE	√	√	√	√
Headset	USB/Bluetooth/RJ9	USB/Bluetooth/RJ9	USB/Bluetooth/RJ9	USB/Bluetooth/RJ9
Bluetooth	Built-in2.4G and 5G	Built-in2.4G and 5G	Built-in2.4G and 5G	Built-in2.4G and 5G
Wi-Fi	Built-in2.4G and 5G	Built-in2.4G and 5G	Built-in2.4G and 5G	Built-in2.4G and 5G
Corded-Cordless Phone (via DD10K)	√	√	√	√
USB Port (2.0 Compliant)	2	2	2	2
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet
Handset Port (RJ-9)	√	√	√	√
Telephony Features				
SIP Accounts	16	16	16	16
N-way Audio Conferencing	10	10	10	10
5-way Video/Audio Mixed Conferencing	√	√	√	√
Door Phone Integration	√	√	√	√
Basic Features				
External Yealink AC Adapter (Optional)	AC 100~240V Input and DC 5V/1.2A Output	AC 100~240V Input and DC 5V/1.2A Output	AC 100~240V Input and DC 5V/1.2A Output	AC 100~240V Input and DC 12V/1A Output
Foot Stand	√	√	√	√
Wall Mountable	√	√	√	√

T4 SERIES

BUSINESS DESKTOP IP PHONE

Yealink's T4U Series phones are an enterprise-grade solution with different endpoints for the most prevalent usages in various business sections. Combining optima HD audio with an elegant profile, accessible color display, multi-line features, and Gigabit Ethernet connectivity, the T4U Series is the perfect choice for administrative staff, knowledge workers, managers, and executives.





Classic Design with Elegance and Dedicated Details

The T4U Series embraces an ultra-elegant appearance with comfortable tactile and user-friendly UI, which is a perfect fit in modern working spaces with an easy-to-use and productive experience.



Advanced Audio Technologies for Noise-free Conversations

With Yealink's Optima HD Audio Technology and the adoption of the Opus codec, the T4U Series provides industry-leading acoustic clarity and guarantees a lifelike communication experience for the users in both high-bandwidth environments and poor network conditions.



Effortless Configuration and Upgrade Saving Time and Labor Costs

Yealink T4U Series supports an efficient provision and mass deployment mechanism with Yealink's Redirection and Provisioning Service (RPS). The T4U also features a unified firmware and auto-provision template, saving even more time and IT costs for businesses.

T48U Advanced Business Phone

Recommended users: executives, managers



- 7" color touch screen with backlit
- Optima HD voice, Acoustic Shield & Smart Noise Filtering
- Up to 16 VoIP accounts
- Supports Bluetooth and Wi-Fi via optional USB Dongle
- Dual-port Gigabit Ethernet
- 2 USB 2.0 port for USB recording and wired/wireless USB headsets
- 29 one-touch DSS keys that can be easily programmed to various features
- Supports up to 3 EXP43, 180 additional buttons with LED system

[Learn More](#)


T46U Productive Business Phone

Recommended users: busy office workers



- 4.3" color screen with backlit
- Optima HD voice, Acoustic Shield & Smart Noise Filtering
- Up to 16 VoIP accounts
- Supports Bluetooth and Wi-Fi via optional USB Dongle
- Dual-port Gigabit Ethernet
- 2 USB 2.0 port for USB recording and wired/wireless USB headsets
- Flexible buttons that can be easily programmed with up to 27 paperless DSS keys
- Supports up to 3 EXP43, 180 additional buttons with LED system

[Learn More](#)





T43U Feature-Rich Business Phone

Recommended users: workers
in common areas and co-working spaces



- 3.7" screen with backlit
- Optima HD voice with Acoustic Shield and Smart Noise Filtering
- Up to 12 VoIP accounts
- Supports Bluetooth and Wi-Fi via optional USB Dongle
- Dual-port Gigabit Ethernet
- Flexible buttons that can be easily programmed with up to 21 paperless DSS keys
- Supports up to 3 EXP43, 180 additional buttons with LED system

[Learn More](#)

T42U Basic Business Phone

Recommended users: frontline staff, retail clerks



- 2.7" screen with backlit
- Optima HD voice with Acoustic Shield
- Up to 12 VoIP accounts
- Supports Bluetooth and Wi-Fi via optional USB Dongle
- Dual-port Gigabit Ethernet
- Flexible buttons that can be easily programmed with up to 15 paperless DSS keys

[Learn More](#)

T4 Series Specifications

Model	SIP-T48U	SIP-T46U	SIP-T43U	SIP-T42U
				
Display	7" color touch screen	4.3" color LCD	3.7" graphical LCD	2.7" graphical LCD
Resolution	800 x 480	480 x 272	360 x 160	192 x 64
LCD Backlight	√	√	√	√
Line	16	16	12	12
Line Key	0	10	8	6
Memory Key	29 touch keys	27 (3 pages of 9 keys)	21 (3 pages of 7 keys)	15 (3 pages of 5 keys)
HD Voice	HD Speaker,HD Handset	HD Speaker,HD Handset	HD Speaker,HD Handset	HD Speaker,HD Handset
Wide-band Codecs	G.722Opus	G.722Opus	G.722Opus	G.722Opus
Narrow-band Codecs	G.711(A/μ), G.729A/B, G.726,G.723.1, iLBC, Opus	G.711(A/μ), G.729A/B, G.726,G.723.1, iLBC, Opus	G.711(A/μ), G.729A/B, G.726,G.723.1, iLBC, Opus	G.711(A/μ), G.729A/B, G.726,G.723.1, iLBC, Opus
N-way Conferencing	10	10	5	5
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet
PoE	√	√	√	√
Handset Port (RJ-9)	√	√	√	√
Headset Port (RJ-9)	√	√	√	√
USB Port (2.0 compliant)	2	2	2	2
USB Headset	√	√	√	√
USB Recording	√	√	√	√
Yealink Bluetooth Adapter BT41	√	√	√	√
Yealink Wi-Fi Adapter WF40/WF50	√	√	√	√
Wireless Headset Adapter EHS40	√	√	√	√
Color Expansion Module EXP43	√	√	√	X
Foot Stand	2 adjustable angles	2 adjustable angles	2 adjustable angles	2 adjustable angles
Wall Mounting	√	√	√	√
External Yealink AC Adapter (optional)	AC 100~240V input and DC 5V/2A output	AC 100~240V input and DC 5V/2A output	AC 100~240V input and DC 5V/1.2A output	AC 100~240V input and DC 5V/1.2A output

T3 SERIES

CLASSIC DESKTOP IP PHONE

Yealink's T3 series is a classic and cost-effective entry-level business IP phone series for daily desktop voice communications. The T3 series maximizes productivity and enhances collaboration for businesses of various scales.





T33P/T33G High Performance Business Phone

Recommended users: frontline staff who needs reliable wired telephone



- 2.4" 320 x 240-pixel color display with backlit
- Adjustable multi-angle stand
- 5-way local conference
- Dual-port Gigabit Ethernet with integrated PoE
- Adopts Hall switch extending the life of the phone

[Learn More](#)

T31/T31P/T31G Gigabit Business Phone

Recommended users: frontline staff who needs reliable wired telephone



- 2.3" 132x64-pixel display with backlit
- Adjustable multi-angle stand
- 5-way local conference
- Built-in Power over Ethernet (PoE)
- Adopts Hall switch extending the life of the phone

[Learn More](#)

T30/T30P Basic Business Phone

Recommended users: frontline staff who needs reliable wired telephone



- 2.3" 132x64-pixel display with backlit
- Adjustable multi-angle stand
- 5-way local conference
- Dual 10/100 Mbps network ports
- Adopts Hall switch extending the life of the phone

[Learn More](#)

T3 Series Specifications


Model	T30/T30P	T31/T31P/T31G	T33P/T33G
			
LCD	2.3" graphical LCD	2.3" graphical LCD	2.4" color LCD
Resolution	132 x 64	132 x 64	320 x 240
LCD Backlight	X	√(Adjustable Brightness)	√(Adjustable Brightness)
Line	1	2	4
Line Key	0	2	4
Memory Key	0	2	12 (4 pages of 3 keys)
PoE	√ (T30P)	√ (T31P/T31G)	√
Gigabit Ethernet	X	√(T31G)	√ (T33P/T33G)
Wireless Headset Adapter	EHS35	EHS35	EHS35
N-way Conferencing	5	5	5
Wide-band Codecs	G.722, Opus	G.722, Opus	G.722, Opus
Narrow-band Codecs	G.711(A/μ), G.729AB, G.726, iLBC, G.723.1	G.711(A/μ), G.729AB, G.726, iLBC, G.723.1	G.711(A/μ), G.729AB, G.726, iLBC, G.723.1
Foot Stand	2 adjustable angles	2 adjustable angles	2 adjustable angles
Wall Mounting	√	√	√
Security Slot	√	√	√
External Yealink AC Adapter (optional)	AC 100~240V input and DC 5V/600mA output	AC 100~240V input and DC 5V/600mA output	AC 100~240V input and DC 5V/600mA output

DECT PHONE SERIES

PROFESSIONAL CORDLESS IP PHONE

Enabling telephony communication in mobile working is of great significance in certain scenarios and environments such as warehouses, factory sites, retails, restaurants, SOHOs and SMEs.

Yealink DECT IP Phone Solution is specifically designed to power up on-the-move communication with sophisticated HD voice, robust battery and stable signal process performance.





Ergonomic Design for Reliable and Portable Experience in Modern Working Spaces

Compact, lightweight and easy-to-carry, endpoints of Yealink's DECT solution are outlined with a metallic appearance, modern business style, classic hard keypad, and intuitive UI.



Superb HD Audio with Opus Codec for Clear and Focus Communication

Based on professional hardware and a sophisticated acoustic algorithm, the Yealink's DECT solution delivers superb quality audio with stable and reliable performance under diverse network conditions. Even in complicated environments, the processing capacity of Yealink's DECT phone systems can block out noise and keep conversations clear and focused.



Streamline Provision and Management with Ease and Efficiency

Yealink's DECT phone systems support efficient provisioning and effortless mass deployment with Yealink's Redirection and Provisioning Service (RPS), and Boot mechanism to help realize remote deployment, maintenance, and upgrade.

W78H Premium DECT Handset

Recommended for executive suites and SMEs



- New modern commercial design that is more compact and portable than ever
- 2.4" color screen with intuitive user interface
- HD voice and noise cancellation for crystal-clear audio experience
- Quick charging: 10-minutes charge time for 2-hours of talk time
- Vibration alarm to ensure you will not miss any calls even in noisy environments
- Headset connection via Bluetooth or 3.5 mm jack
- No Perception Upgrade, not affecting any work

[Learn More](#)

W56H Mid-level DECT Handset

Recommended for supermarkets and SOHO



- 2.4" color screen with intuitive user interface
- Elegant keypad design with illumination and keypad lock
- Full-duplex speakerphone and HD voice
- Up to 30 hours talk time
- Up to 400 hours standby time
- Headset connection via 3.5 mm jack

[Learn More](#)





W73H Basic DECT Handset

Recommended for warehouses and factories



- 1.8" color screen with intuitive user interface
- HD voice and noise cancellation
- Up to 35 hours talk time (in ideal conditions)
- Up to 400 hours standby time (in ideal conditions)
- Headset connection via 3.5 mm jack
- No Perception Upgrade, not affecting any work

[Learn More](#)

T54W + DD10K DECT Desktop Phone

Recommended for desktop in DECT environment



- 4.3" color adjustable display with backlight
- HD voice with Opus audio codec
- Full-duplex hands-free speakerphone with AEC
- Busy Lamp Field (BLF)
- Support up to 4 DECT cordless handsets


[Learn More](#)

W59R Professional DECT Handset

Recommended for office staff who need to walk around the workplace frequently



- 1.8" color screen with intuitive UI
- IP67 standard
- HD voice with Opus audio codec, LC3 Plus and Noise Cancellation for optimal audio experiences
- Up to 28 hours of talk time (18 hours with Bluetooth headset)
- Up to 360 hours of standby time (200 hours with Bluetooth headset)
- Built-in Bluetooth
- No Perception Upgrade, not affecting any work
- Cushions the occasional fall and can easily withstand falls of up to 3.5 meters
- Alarm functions helping send emergency calls at the instant of occurrence.




[Learn More](#)

W57R Entry-level DECT Handset

Recommended for workers in challenging environments like factories, warehouses, hotels, etc.



- 1.8" color screen with intuitive UI
- IP54 standard
- HD voice with Opus audio codec and Noise Cancellation
- Up to 40 hours of talk time
- Up to 575 hours of standby time
- No Perception Upgrade, not affecting any work
- Cushions the occasional fall and can easily withstand falls of up to 3.5 meters



[Learn More](#)





DECT Single-cell System

Yealink W70B DECT Base Station

Designed for small- to medium-sized business, Yealink W70B is eligible for single-cell IP phone systems with up to 10 DECT endpoints and 6 repeaters for larger signal coverage.

Premium Audio Performance

Equipped with upgraded processing capability and acoustic algorithm, the W70B provides the users with better performance in signal stability and audio quality by supporting Opus codec and noise cancellation technologies.

Productive DECT Ecosystem with All-rounded Endpoints

Yealink's W70B is compatible with Yealink's whole series of DECT endpoints including handsets, conference phones and DD phones, offering multiple choices for building a wireless communication network in various workspaces across small and medium size business.

Easy Deployment and Efficient Management

The W70B supports efficient provisioning and effortless mass deployment with Yealink's Redirection and Provisioning Service (RPS) and Boot mechanism to realize the Zero Touch Provisioning. An upgraded web portal is also utilized for more intuitive and user-friendly experience in managing devices.



up to 10
DECT Handsets



up to 20
Simultaneous Calls



up to 10
SIP Accounts



up to 6
DECT Repeaters

Recommend Solutions:

For business workplaces

- W73P (W73H+W70B)
- W76P (W56H+W70B)
- W78P (W78H+W70B)

For challenging and harsh environments

- W79P (W59R+W70B)
- W77P (W57R+W70B)

[Learn More](#)

DECT Multi-cell System

Consisting of the DECT Manager and base stations, Yealink's DECT multi-cell system provides superior mobile communication experience with seamless handover and an industry-leading roaming solution. With wide coverage and stable audio delivery, the multi-cell system is ideal for diverse scenarios including warehouses, factories, hotels, supermarkets and so forth.

Yealink's DECT IP Multi-Cell System provides easier and faster setup for users. With helpful tools such as the DECT Deployment Toolkit, IP discovery tool and auto sync level. To improve the efficiency of registering and managing a large number of endpoints, Yealink also offers simple and intuitive portals to save time and labor costs.

Yealink VIM Solution (VIM+W90DM+W90B)



- Supports up to 10 DMs
- Supports up to 600 bases
- Supports up to 2500 DECT endpoints
- Supports up to 2500 accounts
- Supports up to 2500 simultaneous calls

Yealink W90MC Solution (W90DM+W90B)



- Supports up to 60 bases
- Supports up to 250 DECT endpoints
- Supports up to 250 accounts
- Supports up to 250 simultaneous calls

Yealink W80MC Solution (W80DM+W80B)








- Supports up to 30 bases
- Supports up to 100 DECT endpoints
- Supports up to 100 accounts
- Supports up to 100 simultaneous calls

[Learn More](#)



DECT Series Specifications

Features	W73H	W56H	W78H	W59R	W57R
					
Protection class	NA	NA	NA	IP67	IP54
Size	145 x 48.4 x 21	175 x 53 x 20.3	149 x 48.5 x 20	157 x 50 x 20	157 x 50 x 20
LCD Display	1.8" 128 x 160	2.4" 240 x 320	2.4" 240 x 320	1.8" 128 x 160	1.8" 128 x 160
Weight	119g	148g	126g	183g	183g
Bluetooth	X	X	Bluetooth 5.1	Bluetooth 4.2	X
Vibrate	X	X	√	√	√
Battery Type	1010mAh Lithium	1460mAh Lithium	1010mAh Lithium	1460mAh Lithium	1460mAh Lithium
Battery Life	400h/35h	400h/30h	166h/21h	360h/28h	575h/40h
LCD Backlight	√	√	√	√	√
Key Backlight	√	√	√	√	√
Alarm Button	X	X	X	X	√
Headset jack	3.5 mm	3.5 mm	3.5 mm	X	X
Micro-USB	X	X	X	X	X
Belt clip	spring-loaded	clip-on	spring-loaded	spring-loaded	spring-loaded
Volume Side Key	X	X	X	√	√
Noise reduction	√	√	√	√	√
Alarm Function	X	X	X	√	√
Notification Light	√	√	√	√	√

SPEAKERPHONE SERIES

Yealink designs its USB conferencing solution to suit increasing on-the-go meeting demand, which is also convenient for person or huddle room. The speakerphone series makes conferences easier, faster, and convenient for all locations.



Yealink CP700 USB Portable Speakerphone

Recommended for personal use (2-4), private space and on-the-go scenarios



- The omnidirectional microphone and full-duplex tech ensure quality audio experience
- Mobile with an elegant and lightweight design (220g)
- Multiple buttons with LED indicators
- Deeply integrated with Microsoft Teams with a dedicated Teams button
- Able to pair the CP700 with 3 devices simultaneously

[Learn More](#)

Yealink CP900 USB Portable Speakerphone

Premium for personal use (up to 6), private space and on the go scenarios



- Wideband audio, HD voice and six-microphone beam forming for a premium full-duplex
- Technologically ensured quality audio experience
- Distraction-free HD audio technology, including AEC, NS and DSP.
- Mobile with an elegant and lightweight design (320g)
- Deeply integrated with Microsoft Teams with a dedicated Teams button
- Simple plug-and-play USB or Bluetooth connections to computers, smartphones, and tablets

[Learn More](#)



YEALINK IP PHONE ACCESSORIES

Yealink's IP Phone accessories range from expansion modules to USB dongles and professional headsets. They increase the usability and impact of your existing collaboration network and maximize the compatibility of solutions.





EXP50 LCD Color-screen Expansion Module

- 4.3" 272x480-pixel color screen
- Color icons for rich visual experience
- 20 physical keys on each page with dual-color LED
- 3 control keys with LED for fast switching pages
- Supports up to 3 daisy-chained modules
- Supports Yealink T5 Series only



EXP43 LCD Color-screen Expansion Module

- 4.3" 272x480-pixel color screen
- Color icons for rich visual experience
- 20 physical keys on each page with dual-color LEDs
- Three independent control keys with illuminated LED for fast switching pages
- Supports up to 3 modules daily-chain
- Supports T43U/T46U/T48U



DD10K DECT USB Dongle

- Supports Yealink SIP- T41S/T42S with FW 66.82.0.35 or 66.84.0.10, Yealink T5 series.
- Supports up to 4 compatible Yealink handsets
- Compliant with the CAT-iq 2.0 standards
- Plug and Play
- High Transmission Rate



CPW65 CP Wireless DECT Expansion Mic

- Audio input device for Yealink CP965 conference phone
- Optimal HD voice with 3 built-in microphones
- 10-foot (3-meter) 360° voice pickup
- Up to 20-meter connection distance with the CP965
- 11-day standby time and 13-hour talk time
- 360° non-directional charging on charger cradle



CAM50 HD Camera

- SIP-T58W/SIP-T58A
- 5 mega-pixel HD camera with privacy shutter
- 720p@30fps



RT30 DECT Repeater

- Compatible with DECT CAT-iq 2.0
- Supports Yealink W60B DECT base station
- Up to 6 repeaters per base station
- Wall mountable



WF50 Dual Band Wi-Fi USB Dongle

- Compatible with Yealink T42U/T43U/T46U/T48U/T53
- Dual-band connectivity
- High transmission rate
- Interference free, reliable connection



WF40 Wi-Fi USB Dongle

- Compatible with Yealink T42U/T43U/T46U/T48U/T53
- High transmission rate, reliable connection
- Compliant with IEEE802.11b/g/n
- Low power consumption



EHS60 Headset Adapter

- Compatible with Jabra, Plantronics, Sennheiser
- Control call through wireless headset
- Plug and play
- Easy to use



EHS40 Headset Adapter

- Compatible with Jabra, Plantronics, Sennheiser
- Control call through wireless headset
- Plug and play
- Easy to use



EHS36 Wireless Headset Adapter

- Compatible with Jabra, Plantronics and Sennheiser
- Plug and play, easy to use



BT41 Bluetooth USB Dongle

- Compatible with Yealink T42U/T43U/T46U/T48U/T53
- Support for up to 10 meters of range
- Compatible with v4.0+HS system
- Wideband audio support